

11-12-2015

# Behavioral Health Workforce Policy Issues: A Rural Perspective

Paul Force-Emery Mackie

*Minnesota State University - Mankato*, paul.mackie@mnsu.edu

Follow this and additional works at: [http://cornerstone.lib.mnsu.edu/sowk\\_fac\\_pubs](http://cornerstone.lib.mnsu.edu/sowk_fac_pubs)



Part of the [Social Work Commons](#)

---

## Recommended Citation

Mackie, P.F.E. (2015). Behavioral Health Workforce Policy Issues: A Rural Perspective. 31st Annual Rosalynn Carter Symposium on Mental Health Policy. Atlanta, GA. November 12, 2015.

This Conference Presentation is brought to you for free and open access by the Social Work Department at Cornerstone: A Collection of Scholarly and Creative Works for Minnesota State University, Mankato. It has been accepted for inclusion in Social Work Faculty Publications by an authorized administrator of Cornerstone: A Collection of Scholarly and Creative Works for Minnesota State University, Mankato.

# **Behavioral Health Workforce Policy Issues: A Rural Perspective**

**Paul Force-Emery Mackie, Ph.D., LISW  
Professor of Social Work, Minnesota State University Mankato  
&  
President, National Association for Rural Mental Health**

**31<sup>st</sup> Annual Rosalynn Carter Symposium on Mental Health Policy  
The Carter Center, Atlanta GA  
November 12<sup>th</sup>, 2015**

# The Problem

- **60% of rural America underserved for behavioral health needs** (New Freedom Commission on MH, 2003).
- **85%+ of US behavioral health shortage areas are rural** (Bird, Dempsey, & Hartley, 2001).
- **90% of psychologists & psychiatrists and 80% of MSW social workers located urban** (Mohatt, 2014).
- **65% of rural Americans get behavioral health care from primary care providers** (Mohatt, 2014).
- **Access to behavioral health services in rural too often limited or non-existent** (Mackie, 2012).
- **When access to rural behavioral health services is available, too often quality of care is less than typically accessible in more urban areas** (Fortney, Rost, & Zhang, 1999).
- **Rural access to specialized behavioral health care is limited, often non-existent** (Wang et al., 2005).
- **Stigma associated with accessing services continues to be a serious and pervasive challenge, which creates additional challenges for providers** (Carter & Golant, 1998; Mackie, Zammitt, & Alvarez, 2016; Mohatt et al., 2015).
- **Hiring & retaining rural behavioral health practitioners continues to be a ongoing problem as identified by rural-based supervisors and hiring officials** (Mackie & Lips, 2010).
- **The use of tele-technology to “bridge the divide” - increase access - to behavioral health care continues to present challenges** (Mackie, 2015).

# Answering the “Why”

Several explanations have been posited, including:

- ❖ **Demographics:** Rural = 15-20% of total U.S. population,
- ❖ **Lower higher ed degree attainment** (rural = 18.5% bachelor’s and higher whereas urban = 32%) (Marre, 2014),
- ❖ **Lower higher ed degree attainment** = reduced pool of potential indigenous providers,
- ❖ Rural areas seen as **less “viable” or “desired”** places to practice due to limited access to resources, supervision, social & professional opportunities, dual relationships, general challenges associated with geographic isolation (Mackie & Simpson, 2007),
- ❖ **Burnout** in rural areas higher, or at least **perceived higher** among potential practitioners (Mackie, 2008),
- ❖ State & federal responses (e.g., National Health Service Corp, grants/scholarships, loan repayment programs). **All respond to workforce needs, but lack long-term sustainability.**

# The Research

**Research suggests rural behavioral health professionals are more likely to have grown up in a rural area & the further one moves from urbanized areas, the more difficult it is to hire rural behavioral health practitioners.**



- **For every 10 miles we move from an urban center, difficulty in hiring increases by 3%.**
  - 30 miles = 10% more difficult
  - 115 miles = 35% more difficult
  - 180 miles = 54% more difficult
  
- **Rural providers surveyed and interviewed - main reasons for practicing in rural:**
  - They have rural roots (grew up where they are), want to be close to family/friends,
  - They have rural roots (but not from where they are), want to be in rural environment generally,
  - Understand rural culture and people, want to help others with similar background (familiarity),
  - See living rural as safer, more enriching, more “family” friendly, more aligned with personal values,
  - Generally more comfortable living rural than urban.
  
- **Predictors to hiring and retaining rural providers based on the following three key elements:**
  - Provider grew up in a rural area,
  - Provider education focused on rural concepts,
  - Provider completed internship in rural location.

# Illustrations

Example: 10 miles = 3%

2013 U.S. Metro/Non-Metro Counties

Health Professional Shortage Areas



# Recommendations

## *Growing Our Own* rural behavioral health providers – How:

- **Focus recruitment** in rural areas toward youth and **target** populations more likely to become rural behavioral health providers.
- **Create viable introductory pathways** beginning with entry-level positions that can lead to higher practitioner levels.
- **Develop advanced educational pathways** through collaborations with higher education institutions, includes:
  - Online & extended education, focused rural internships, and infusion of rural-focused knowledge, skills, & curriculum development.
- **Develop mentorship programs** to support rural practitioners,
- **Create funding opportunities** to support pathways concept,
  - Grants, scholarships, support for internships, educational advocacy, outreach.

# Work Cited

- Bird, D.C., Dempsey, P., & Hartley, D. (2001). *Addressing mental health workforce needs in underserved rural areas: Accomplishments and challenges*. Portland, ME. Maine Rural Health Research Center, Muskie Institute, University of Southern Maine.
- Carter, R. & Golant, S. (1998). *Helping someone with mental illness: A compassionate guide for family, friends, and caregivers*. New York, Three Rivers Press.
- Mackie, P.F.E., Zammitt, K., & Alvarez, M. (2016). *Practicing Rural Social Work*. Chicago, IL: Lyceum Books.
- Mackie, P.F.E. (2012). Social work in a very rural place: A study of practitioners in the Upper Peninsula of Michigan. *Journal of Contemporary Rural Social Work, 4*, 63-90.
- Mackie, P.F.E. & Lips, R.A. (2010). Is there really a problem with hiring rural social service staff? An exploratory study among social service supervisors in rural Minnesota. *Families in Society, 91(4)*, 433-439. doi: 10.1606/1044-3894.4035.
- Mackie, P.F.E. (2008). Are social workers really burned out? An analysis between rural and urban social workers. *Journal of Rural Mental Health, 32(2)*, 3-18.
- Mackie, P.F.E. (2008). *Burnout and job satisfaction among rural and urban social workers: An investigation of differences between groups*. Saarbrücken, Germany: VDM Verlag Aktiengesellschaft & Co.
- Mackie, P.F.E. (2007). Understanding educational and demographic differences between rural and urban social workers. *Journal of Baccalaureate Social Work, 12(3)*, 114-128.
- Mackie, P.F.E., & Simpson, C.L. (2007). Factors influencing undergraduate social work students' perceptions about rural-based practice: A pilot study. *Journal of Rural Mental Health, 31(2)*, 5 – 21.
- Marre, A. (2014). Rural areas lag urban areas in college completion. Amber Waves, U.S. Department of Agriculture Economic Research Service. Retrieved from <http://www.ers.usda.gov/amber-waves/2014-december/rural-areas-lag-urban-areas-in-college-completion.aspx>
- Mohatt, D.F., Adams, S.J., Bradley, M.M., & Morris, C.D. (2005). *Mental health and rural America: 1994 – 2005 an overview and annotated bibliography*. Rockville, MD. U.S. Department of Health & Human Services, Health Resources & Services Administration, Office of Rural Health Policy.
- Mohatt, D.F. (2014). Rural mental health: Challenges and opportunities caring for the country. Family Impact Seminar, Utah State Legislature. Presented February 10, 2014.
- Wang, P.S., Lane, M., Olsson, M., Pincus, H.A., Wells, K.B., & Kessler, R.C. (2005). Twelve-month use of mental health services in the United States: Results from the national comorbidity study replication. *Achieves of General Psychiatry, 62*, 629-640.